

L Number	Hits	Search Text	DB	Time stamp
1	7	"6249327"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:00
2	2	(contact adj hole) near10 (overlap\$6 or overlay\$6 or cover\$6) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:02
3	5	(contact adj hole) near10 (over or above) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:07
4	1	(contact adj hole) near10 (in) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:08
5	15	(hole or slit or opening or aperture) near10 (in) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:16
6	0	(insulating adj (film or layer)) near10 (contact adj hole) near10 expos\$6 near10 ((black adj mask) or (black adj matrix) or (light adj shield) or opaque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:19
7	4	(insulating adj (film or layer)) near10 (hole or slit or aperture or opening) near10 expos\$6 near10 ((black adj mask) or (black adj matrix) or (light adj shield) or opaque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:23
8	0	(pixel) near10 (electrically adj connect) near10 ((black adj mask) or (light adj shield) or (black adj matrix) or (opaque)) near10 (contact adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:26
9	202	(insulating adj (film or layer)) near10 wiring near10 (contact adj hole) near10 expos\$6 near10 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:28
10	705	(pixel adj electrode) near10 (connect\$6) near10 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:29
11	6	((insulating adj (film or layer)) near10 wiring near10 (contact adj hole) near10 expos\$6 near10 wiring) and ((pixel adj electrode) near10 (connect\$6) near10 wiring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:32
12	2	"6490014"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:34
13	22	pixel near10 connect near10 ((light adj shield) or (black adj mask) or (black adj matrix) or opaque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:38
14	0	349/110 near10 (overlap or overlay) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:39

15	2	((black adj mask) or (black adj matrix) or (light adj shield) or opaque) near10 (overlap or overlay) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:41
16	8	pixel near10 connect near10 (light adj shield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:56
17	14	pixel near10 connect near10 ((black adj matrix) or (black adj mask) or opaque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:09
18	0	(pixel) near10 (contact adj hole) near10 down near10 (rubbing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:10
19	1	(pixel) near10 (contact adj hole) near10 (rubbing adj direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:11
20	5	(pixel) near10 (aperture or slit or hole or opening) near10 (rubbing adj direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:16
21	2	((black adj matrix) or (black adj mask) or opaque or (light adj shield)) near10 (overlap or overlay) near10 ((scan or gate) and data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:26
22	32	(scan or gate) near10 form near10 capacitance near10 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:28
23	0	(scan or gate) near10 form near10 capacitance near10 between near10 ((black adj matrix) or (black adj mask) or opaque or (light adj shield))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:30
24	9	(scan or gate) near10 capacitance near10 between near10 ((black adj matrix) or (black adj mask) or opaque or (light adj shield))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:35
25	0	(electrostatic adj capacitance) near10 between near10 ((black adj matrix) or (black adj mask) or opaque or (light adj shield))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:36
-	0	(contact adj hole) near10 connect\$6 near10 (source and pixel) near10 overlap near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 17:21
-	175	(contact adj hole) near10 connect\$6 near10 (source and pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 17:22
-	2	(contact adj hole) near10 overlap\$4 near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 17:26

-	0	(contact adj hole) near10 overlap near10 (capacitor or capacitance) near10 ((gate or scan) adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 17:29
-	7	(contact adj hole) near10 overlap\$6 near10 (capacitor or capacitance) near10 ((gate or scan) adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 17:29
-	7	(contact adj hole) near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:49
-	7	(opening or slit or aperture) near10 overlap\$4 near10 disclination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 09:37
-	0	((passivation or protective) adj (film or layer)) near10 on near10 (switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:51
-	5	((passivation or protective) adj (film or layer)) near10 above near10 (switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:52
-	57	((passivation or protective) adj (film or layer)) near10 above near10 ((switching adj element) or TFT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:53
-	0	((passivation or protective) adj (film or layer)) near10 on near10 ((switching adj element) or TFT or (thin adj film adj transistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:54
-	294	((passivation or protective) adj (film or layer)) near10 (above or over) near10 ((switching adj element) or TFT or (thin adj film adj transistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:23
-	6320	(hole or opening or slit or aperture) near10 ((passivation or protective) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:01
-	127	(hole or opening or slit or aperture) near10 ((color) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:08
-	122	(hole or opening or slit or aperture) near10 ((flattening) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:04
-	1	((hole or opening or slit or aperture) near10 ((passivation or protective) adj (film or layer))) and ((hole or opening or slit or aperture) near10 ((color) adj (film or layer))) and ((hole or opening or slit or aperture) near10 ((flattening) adj (film or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:04

-	4	((hole or opening or slit or aperture) near10 ((passivation or protective) adj (film or layer))) and ((hole or opening or slit or aperture) near10 ((color) adj (film or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:04
-	1211	(hole or opening or slit or aperture) near10 ((color) adj (film or layer or filter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:10
-	5	((hole or opening or slit or aperture) near10 ((passivation or protective) adj (film or layer))) and ((hole or opening or slit or aperture) near10 ((color) adj (film or layer or filter))) and ((hole or opening or slit or aperture) near10 ((flattening) adj (film or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:10
-	0	(color adj (film or layer or filter)) near10 on near10 ((passivation or protective) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:25
-	189	(color adj (film or layer or filter)) near10 (above or over or ontop) near10 ((passivation or protective) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:26
-	0	(flattening adj (film or layer)) near10 (above or over or ontop) near10 (color adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:28
-	1382	(contact adj hole) near10 ((passivation or protective) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:31
-	3	(contact adj hole) near10 ((color) adj (film or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:32
-	90	(contact adj hole) near10 ((color) adj (film or layer or filter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:33
-	64	(contact adj hole) near10 ((flattening) adj (film or layer or filter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:33
-	4	((contact adj hole) near10 ((passivation or protective) adj (film or layer))) and ((contact adj hole) near10 ((color) adj (film or layer or filter))) and ((contact adj hole) near10 ((flattening) adj (film or layer or filter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:41
-	0	(scan or gate) near10 ((projecting or protruding or protrusion)) near10 ((overlap\$6 or overlay\$6) adj (contact adj hole))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:46
-	20	(scan or gate) near10 ((projecting or protruding or protrusion)) near10 (contact adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:47

-	2	"6490014"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:47
---	---	-----------	---	------------------